National Coalition for the Homeless
2201 P. St. NW • Washington, DC 20037
Phone: (202) 462-4822 • Fax: (202) 462-4823
Email: info@nationalhomeless.org |Website: http://www.nationalhomeless.org

Addiction Disorders and Homelessness

NCH Fact Sheet #6

Published by the National Coalition for the Homeless, June 2006

The relationship between homelessness and alcohol and drug addiction is quite controversial. While addictive disorders appear disproportionately among the homeless population, such disorders cannot, by themselves, explain the increase in homelessness. Most drug and alcohol addicts never become homeless. However, people who are poor and addicted are clearly at increased risk. In the last two decades, competition for increasingly scarce low-income housing grew so intense that those with disabilities such as addictive and mental disorders were more likely to lose out and find themselves on the streets.

PREVALENCE

Surveys of homeless populations have found consistently high rates of addiction, particularly among single men. More recent studies, however, have called the results of those studies into question. Briefly put, the studies that produced high prevalence rates greatly over-represented long-term shelter users and single men, and used lifetime rather than current measures of addiction. There is no generally accepted "magic number" with respect to the prevalence of addiction disorders among homeless adults.

RELATIONSHIP TO HOMELESSNESS

In the past, single-room-occupancy (SRO) housing housed many poor individuals, including poor persons suffering from addictive disorders and/or mental illness. From 1970 to the mid-1980s, an estimated one million SRO units were eliminated as a result of abandonment, gentrification, demolition, and conversion (Wright and Rubin, 1997). The demolition of SRO housing was most notable in large cities: between 1970 and 1982, New York City lost 87 percent of its $200-per-month-or-less SRO stock; Chicago experienced the total elimination of cubicle hotels; and by 1985, Los Angeles had lost more than half of its downtown SRO housing (Koegel et al, 1996). From 1975 to 1988, San Francisco lost 43 percent of its stock of low-cost residential hotels; from 1970 to 1986, Portland, Oregon lost 59 percent of its residential hotels; and from 1971 to 1981, Denver lost 64 percent of its SRO hotels. Thus, the destruction of SRO housing is a major factor in the growth of homelessness, particularly among people suffering from addictive disorders, in many cities.

Untreated addictive disorders do contribute to homelessness. For those with below-living wage incomes and just one-step away from homelessness, the onset or exacerbation of an addictive disorder may provide just the catalyst to plunge them into residential instability. And for people who are addicted and homeless, the health condition may be prolonged by the very life circumstance in which s/he finds her/himself. Alcohol and drug use may help meet immediate needs by providing respite from otherwise stressful and sometimes violent conditions, and thus

distract from activities oriented toward stability. For people with untreated co-occurring serious mental illness, the use of alcohol and other drugs may serve as a form of self-medication. For still others, a sense of hopelessness about the future allows them to discount their addictive disorder. These explanations for addiction's sway over some homeless people should not obscure another reality - that many homeless persons with addictive disorders desire to overcome their disease, but that the combination of the homeless condition itself and a service system ill-equipped to respond to these circumstances essentially bars their access to treatment services and recovery supports.

POLICY ISSUES

There are numerous barriers to treatment and recovery opportunities. Homeless people typically do not have health insurance, including Medicaid. This means that few homeless people with addictive disorder are able to find the resources necessary to pay for their own treatment or health care. In addition, there are extensive waiting lists for addiction treatment in most states. The National Association of State Alcohol and Drug Abuse Directors estimated that in 1997, over one million people were waiting for treatment nationwide. Moreover, people who are not easy to contact, such as homeless people, are often dropped from the lists.

Other barriers to treatment include lack of transportation, lack of documentation, lack of supportive services, and abstinence-only programming. The bulk of addictive disorder treatment and recovery public policies and programs focus on abstinence as the single goal for individuals participating in programs and for the programs themselves, and in some cases forbids the alternative programs. Absolute lifetime abstinence is not a reality for the majority of people with addictive disorders; relapse is an expected occurrence in the course of treatment of the disease. Thus, this singular focus has served as a barrier to the establishment of relapse-tolerant programs, which may be more appropriate in some cases. The abstinence-only orientation also fails to recognize the other important outcomes from individual participation in addictive disorder treatment, including improved overall physical health.

Recent SSI policy changes appear to have increased homelessness among impoverished people suffering from addictive disorders. In March 1996, President Clinton signed into law legislation (P.L. 104-121) that denies Supplemental Security Income (SSI) and Social Security Disability Insurance (SSDI) disability benefits and, by extension, access to Medicaid, to people whose addictions are considered to be a "contributing factor material to" the determination of their disability status. Thus far, an estimated 103,000 disabled individuals have lost their SSI or SSDI as a result of this legislation. SSI and SSDI benefits are often the only income that stands between an individual and homelessness. Furthermore, they provide access to health care through Medicaid. Preliminary results from a national study to document the effects of SSI eligibility changes for persons served by Health Care for the Homeless projects confirms the suspicion that loss of SSI and SSDI income is resulting in increased homelessness: of 681 homeless clients interviewed, 3.2% had recently lost their SSI or SSDI because of an alcohol or drug-related disability, and of those persons who had been paying for their own housing prior to losing SSI/SSDI benefits, two-thirds lost their housing because they could no longer pay for it (National Health Care for the Homeless Council, 1997).

The dominant ideas concerning addiction that have shaped public policy stand in sharp contrast to the policies recommended by many researchers and medical practitioners. While the dominant public policy approach to addictive disorders has been punitive, the most widely recommended policies developed from medical and public health perspectives focus on prevention and treatment. This is true for housed as well as homeless populations. There has been a great deal of research based on federally funded demonstration grants on how to respond to the needs of homeless persons suffering from addiction (Oakely and Dennis, 1996). This research makes clear

that housing stability is essential for successful treatment and/or recovery. When combined with supportive services, meaningful daily activity in the community (including work), and access to therapy, appropriate housing can provide the framework necessary to end homelessness for many individuals. Without a stable place to live, recovery often remains out of reach. Regrettably, the discoveries of the demonstrations have not been widely translated to services delivery.
Despite the severity of the problem, there are currently very few federal programs that target funds to services for homeless people who have addiction disorders. The Substance Abuse Prevention and Treatment Block Grant, the main source of federal substance abuse treatment funds, does not currently target funds to homeless people. Furthermore, current programs mandated to meet the health care needs of homeless people do not have the resources necessary to address addictive disorders in a thorough manner (Cousineau, 1995). Two programs were established by Congress, the Treatment for Homeless Persons (THP) and the Projects for Assistance in Transition from Homelessness (PATH), to provide addiction and mental health services for people experiencing homelessness. However, PATH focuses mainly on mental health issues, and both lack funding; PATH was funded in FY2006 at only $54 million and THP at only $44 million, greatly impeding their effectiveness at reaching and assisting homeless (National Health Care for the Homeless Council, 2006). A targeted funding stream devoted to providing services to homeless people with addiction disorders would help this population overcome homelessness. In addition to targeted services, homeless people with addiction disorders need affordable housing, jobs that pay livable wages, and health care if they are to leave and remain off the streets.

ADDITIONAL RESOURCES

Bureau of Primary Health Care, Division of Programs for Special Populations. Health Care for the Homeless Program Profiles: Final Report, 1995. Available, free, from the National Clearinghouse for Primary Care Information, 2070 Chain Bridge Rd., Suite 450, Vienna, VA 22182; 800/400-2742; in Washington, DC metro area: 703/902-1248.

Cousineau, Michael. A Study of the Health Care for the Homeless Program: Final Report, 1995. Available from the National Clearinghouse for Primary Care Information, 2070 Chain Bridge Rd., Suite 450, Vienna,VA 22182; 1-800-400-BPHC, ext. 248.

Dolbeare, Cushing. "Housing Policy: A General Consideration," in Homelessness in America, 1996, Oryx Press. National Coalition for the Homeless, 2201 P. St. NW, Washington, DC 20037; 202/462-4822.

Koegel, Paul et al. "The Causes of Homelessness," in Homelessness in America, Oryx Press, 1996. National Coalition for the Homeless, 2201 P. St. NW, Washington, DC 20037; 202/462-4822.

National Coalition for the Homeless. Addiction on the Streets: Substance Abuse and Homelessness in America, 1992. National Coalition for the Homeless, 2201 P. St. NW, Washington, DC 20037; 202/462-4822.

National Coalition for the Homeless. No Open Door: Breaking the Lock on Addiction Recovery for Homeless People, 1998. National Coalition for the Homeless, 2201 P. St. NW, Washington, DC 20037; 202/462-4822.

National Health Care for the Homeless Council, Inc. SSI/SSDI Study, in Healing Hands, Vol. 1, No. 6, 1997. Available from the National Health Care for the Homeless Council, P.O. Box 60427, Nashville, TN 37206-0427; 615/226-2292.

National Health Care for the Homeless Council. “Addiction, Mental Health and Homelessness”, 2005. Available at www.nhchc.org.

Oakely, Deirdre and Deborah L. Dennis, "Responding to the Needs of Homeless People with Alcohol, Drug, and/or Mental Disorders," in Homelessness in America, Oryx Press, 1996. National Coalition for the Homeless, 2201 P Street NW, Washington, DC 20037; 202/462-4823.
Wright, James and Beth Rubin. "Is Homelessness a Housing Problem?" in Understanding Homelessness: New Policy and Research Perspectives, 1997. Available, free, from the Fannie Mae Foundation, 4000 Wisconsin Avenue, NW, North Tower, Suite One, Washington, DC 20016-2804; 202-274-8074 or email: fmfpubs@fanniemaefoundation.org.